

P A T E N T

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	Alan H. Ostroff et al.	Confirmation No.:	7091
Patent No.:	6,952,610	Issued:	October 4, 2005
Serial No.:	10/015,202	Filed:	November 5, 2001
Docket No.:	1201.1136101	Customer No.	21961
For:	CURRENT WAVEFORMS FOR ANTI-TACHYCARDIA PACING FOR A SUBCUTANEOUS IMPLANTABLE CARDIOVERTER-DEFIBRILLATOR		

Commissioner for Patents
ATTN: Decision and Certificate of Correction
Branch of the Patent Issue Division
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR
APPLICANT MISTAKE AND FOR PTO MISTAKE**

CERTIFICATE FOR ELECTRONIC TRANSMISSION:

The undersigned hereby certifies that this paper or papers, as described herein, are being electronically transmitted to the U.S. Patent and Trademark Office on this 27th day of June 2007.

By Kathleen L. Boekley
Kathleen L. Boekley

Sir:

An error appears in the above-identified patent of a clerical nature. In the originally filed specification at line 17 of page 33, reference to Figure 6 should read Figure 11. The error occurred in good faith. Correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. A certificate of correction is requested.

Errors also appear which are of PTO mistake.

The exact page and line number where the PTO errors are shown correctly in the application
file are:

Amendment filed January 19, 2005: lines 6 and 8 of page 2
Amendment filed June 2, 2004: line 28 of page 4 and line 3 of page 7
Originally filed specification: lines 6, 8, 12, 15 and 19 of page 33.


Attached is Form PTO/SB/44 suitable for printing. A certificate of correction is requested.

Pursuant to C.F.R. § 1.20(a), the fee of \$100 is enclosed. Please send the Certificate to the
address associated with Customer No. 21691.

Respectfully submitted,

Gust H. Bardy et al.

By his Attorney

A handwritten signature in black ink, appearing to read "David M. Crompton", written over a horizontal line.

David M. Crompton, Reg. No. 36,772
CROMPTON, SEAGER & TUFTE, LLC
1221 Nicollet Avenue, Suite 800
Minneapolis, MN 55403-2420
Telephone: (612) 677-9050
Facsimile: (612) 359-9349

Dated: _____

6/27/07

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,952,610
APPLICATION NO.: 10/015,202
ISSUE DATE : October 4, 2005
INVENTOR(S) : Alan H. Ostroff et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 3

Line 32, delete "intrathorasic" and insert therefor -- intrathoracic --.
Line 36, delete "heart and a battery" and insert therefor -- heart; and a battery --.

Column 9

Line 51, delete "PIG. 9" and insert therefor -- FIG. 9 --.

Column 10

Line 6, delete "13 of 13' " and insert therefor -- 13 and 13' --.
Line 7, delete electrode --' is" and insert therefor -- electrode 13' --.
Line 11, delete "electrode" and insert therefor -- electrode --.
Lines 13-14, delete "and 24', the" and insert therefor -- and 25'. The --.
Line 15, delete "FIG. 6" and insert therefor -- FIG. 11 --.
Line 17, delete "13' is place inferiorly." and insert therefor -- 13' is placed superiorly. --.

Column 13

Line 55, delete "Lime" and insert therefor -- time --.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Crompton, Seager & Tuft, LLC
1221 Nicollet Avenue, Suite 800
Minneapolis, MN 55403-2420

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.